

# Line Card

All DTIs made to ASTM F959/959M.

Any special compression strength grade or custom DTI shapes made to special order only.

All DTIs are offered both Standard and Squirter Type.

S/O - Special Order only, not normally manufactured. Minimum quantities apply.

Coatings such as Xylan, Geomet, FluoroKote and others are available.

<b>Bolt Diameter</b>				<b>Grade 325</b>
	Plain	Mech Galv	Weathering Steel/Type 3	Pcs/Keg Wt
<b>1/2"</b>	Stock	Stock	Stock	1750/50 lb
<b>5/8"</b>	Stock	Stock	Stock	1250/60 lb
<b>3/4"</b>	Stock	Stock	Stock	1000/60 lb
<b>7/8"</b>	Stock	Stock	Stock	650/60 lb
<b>1"</b>	Stock	Stock	Stock	500/60 lb
<b>1 1/8"</b>	Stock	Stock	Stock	450/60 lb
<b>1 1/4"</b>	Stock	Stock	Stock	350/60 lb
<b>1 3/8"</b>	Stock	Stock	Stock	250/60 lb
<b>1 1/2"</b>	Stock	Stock	Stock	225/60 lb

<b>Bolt Dia</b>				<b>Grade 490</b>
	Plain	Dacromet	Weathering Steel/Type 3	Pcs/Keg Wt
<b>1/2"</b>	Stock	Stock	Stock	1750/50 lb
<b>5/8"</b>	Stock	Stock	Stock	1250/60 lb
<b>3/4"</b>	Stock	Stock	Stock	750/60 lb
<b>7/8"</b>	Stock	Stock	Stock	500/60 lb
<b>1"</b>	Stock	Stock	Stock	400/60 lb
<b>1 1/8"</b>	Stock	Stock	Stock	350/60 lb
<b>1 1/4"</b>	Stock	Stock	Stock	250/60 lb
<b>1 3/8"</b>	Stock	Stock	Stock	200/60 lb
<b>1 1/2"</b>	Stock	Stock	Stock	175/60 lb

<b>Bolt Dia</b>				<b>Grade 8.8</b>
	Plain	Mech Galv	Weathering Steel/Type 3	Pcs/Keg Wt
<b>M12</b>	Stock	Stock	S/O	1750/60lb
<b>M16</b>	Stock	Stock	S/O	1250/60 lb
<b>M20</b>	Stock	Stock	S/O	750/60 lb
<b>M22</b>	Stock	Stock	S/O	650/60 lb
<b>M24</b>	Stock	Stock	S/O	450/60 lb
<b>M27</b>	Stock	Stock	S/O	325/60 lb
<b>M30</b>	Stock	Stock	S/O	250/60 lb
<b>M36</b>	Stock	Stock	S/O	175/60 lb

<b>Bolt Dia</b>				<b>TYPE 10.9</b>
	Plain	MG/Dacro/Geomet	Note	Pcs/Keg Wt
<b>M12</b>	Stock	Stock		1750/60 lb
<b>M16</b>	Stock	Stock		1250/60 lb
<b>M20</b>	Stock	Stock		750/60 lb
<b>M22</b>	Stock	Stock	Made as 7/8 A490, same strength, same dimensions.	650/60 lb
<b>M24</b>	Stock	Stock		450/60 lb
<b>M27</b>	Stock	Stock		325/60 lb
<b>M30</b>	Stock	Stock		250/60 lb
<b>M36</b>	Stock	Stock		175/60 lb

<b>Bolt Dia</b>		<b>TYPE 10.9</b>	
	Plain	Pcs/Keg Wt	Custom Orders Only
<b>M42</b>		DAST - Guideline 021	
<b>M48</b>			
<b>M56</b>			
<b>M64</b>			



the best way to bolt!

email: [info@appliedbolting.com](mailto:info@appliedbolting.com)

<http://www.appliedbolting.com>